

NOTES

1. PROVIDE FINISHES THAT ARE NON-GLARE AND SUBDUED.

KEY NOTES

1. MOUNT A5145, HOOK, AT 1372 [4'-6"] AFF. PROVIDE 2-A5145'S FOR NAVY PROJECTS ONLY. MOUNT 1-A5145 AT 1372 [4'-6"] AFF AND 1-A5145 AT 1524 [5'-0"] AFF.
2. THIS SIZE ROOM ACCOMMODATES ONE RADIOLOGIST. THIS DIMENSION MAY INCREASE TO ACCOMMODATE ADDITIONAL RADIOLOGISTS.

RADIOLOGY VIEWING, DIGITAL (XVC02) 5.04.03

RADIOLOGY/NUCLEAR MEDICINE


FLOOR/EQUIPMENT PLAN 11.15 NSM (120 NSF)

DATE: 01/28/2002

0 1000 2000



1:50 SCALE (MILLIMETERS)



NOTES

1. PROVIDE FINISHES THAT ARE NON-GLARE AND SUBDUED.

RADIOLOGY VIEWING, DIGITAL (XVC02) 5.04.03

RADIOLOGY/NUCLEAR MEDICINE

CEILING PLAN

DATE: 01/28/2002

0 1000 2000



1:50 SCALE (MILLIMETERS)

Medical Equipment Room Guide Plates

5.04 Radiology/Nuclear Medicine

Plate Number 5.04.03
Room Name RADIOLOGY VIEWING, DIGITAL
SEPS # XVC02

JSN	Nomenclature	Qty	Army	Navy	AF	Utilities					
			Cat	Cat	Cat	1	2	3	4	5	6
A5145	Hook, Garment, Double, SS, Surface Mounted	1	A	A	A	J
F0210	Chair, Side, Without Arms	1	C	C	C
F0280	Chair, Swivel, Low Back	2	C	C	C
F0775	Table, Work, 2 Drawer, 32 x 72 x 30	1	C	C	C
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	C	C	C
F3200	Clock, Battery, 12" Diameter	1	C	C	C
M1800	Computer, Microprocessing	1	C	C	C	.	A
M1825	Printer, Computer	1	C	C	C	.	A
X4080	Illuminator, Film, Mobile, 16 Panel, Motorized	1	C	C	C	.	B
X4124	Console, PACS, Remote View, 2k X 2k, 4 Monitors	1	F	F	F	.	A
X4390	Viewer, Spot, High Intensity	1	C	C	C	.	A